

- Obinata D, Takada S, Takayama K, Urano T, Ito A, Ashikari D, Fujiwara K, Yamada Y, Murata T, Kumagai J, Fujimura T, Ikeda K, Horie-Inoue K, Homma Y, Takahashi S, Inoue S. Abhydrolase domain containing 2, an androgen target gene, promotes prostate cancer cell proliferation and migration. *Eur J Cancer*. 2016 Apr;57:39-49. doi: 10.1016/j.ejca.2016.01.002. PubMed PMID: 26854828.
- Nagai S, Ikeda K, Horie-Inoue K, Shiba S, Nagasawa S, Takeda S, Inoue S. Estrogen modulates exercise endurance along with mitochondrial uncoupling protein 3 downregulation in skeletal muscle of female mice. *Biochem Biophys Res Commun*. 2016 Oct 28. pii: S0006-291X(16)31824-1. doi: 10.1016/j.bbrc.2016.10.129. PubMed PMID: 27983991.
- Miyazaki T, Ikeda K, Sato W, Horie-Inoue K, Okamoto K, Inoue S. MicroRNA library-based functional screening identified androgen-sensitive mir-216a as a player in bicalutamide resistance in prostate cancer. *J Clin Med*. 2015 Oct 21;4(10):1853-65. doi: 10.3390/jcm4101853. PubMed PMID: 26506397.
- Momozawa Y, Akiyama M, Kamatani Y, Arakawa S, Yasuda M, Yoshida S, Oshima Y, Mori R, Tanaka K, Mori K, Inoue S, Terasaki H, Yasuma T, Honda S, Miki A, Inoue M, Fujisawa K, Takahashi K, Yasukawa T, Yanagi Y, Kadonosono K, Sonoda KH, Ishibashi T, Takahashi A, Kubo M. Low-frequency coding variants in CETP and CFB are associated with susceptibility of exudative age-related macular degeneration in the Japanese population. *Hum Mol Genet*. 2016 Oct 3. pii: dww335. PubMed PMID: 27702940.
- Huang L, Zhang H, Cheng CY, Wen F, Tam PO, Zhao P, Chen H, Li Z, Chen L, Tai Z, Yamashiro K, Deng S, Zhu X, Chen W, Cai L, Lu F, Li Y, Cheung CM, Shi Y, Miyake M, Lin Y, Gong B, Liu X, Sim KS, Yang J, Mori K, Zhang X, Cackett PD, Tsujikawa M, Nishida K, Hao F, Ma S, Lin H, Cheng J, Fei P, Lai TY, Tang S, Laude A, Inoue S, Yeo IY, Sakurada Y, Zhou Y, Iijima H, Honda S, Lei C, Zhang L, Zheng H, Jiang D, Zhu X, Wong TY, Khor CC, Pang CP, Yoshimura N, Yang Z. A missense variant in FGD6 confers increased risk of polypoidal choroidal vasculopathy. *Nat Genet*. 2016 Jun;48(6):640-7. doi: 10.1038/ng.3546. PubMed PMID: 27089177.
- Ikeda K, Horie-Inoue K, Ueno T, Suzuki T, Sato W, Shigekawa T, Osaki A, Saeki T, Berezikov E, Mano H, Inoue S. miR-378a-3p modulates tamoxifen sensitivity in breast cancer MCF-7 cells through targeting GOLT1A. *Sci Rep*. 2015 Aug 10;5:13170. doi: 10.1038/srep13170. PubMed PMID: 26255816.
- Azuma K, Casey SC, Urano T, Horie-Inoue K, Ouchi Y, Blumberg B, Inoue S. Pregnane X receptor knockout mice display aging-dependent wearing of articular cartilage. *PLoS One*. 2015 Mar 6;10(3):e0119177. doi: 10.1371/journal.pone.0119177. PubMed PMID: 25749104.
- Azuma K, Shiba S, Hasegawa T, Ikeda K, Urano T, Horie-Inoue K, Ouchi Y, Amizuka N, Inoue S. Osteoblast-specific  $\gamma$ -glutamyl carboxylase-deficient mice display enhanced bone formation with aberrant mineralization. *J Bone Miner Res*. 2015 Jul;30(7):1245-54. doi: 10.1002/jbmr.2463. PubMed PMID: 25600070.
- Ujihira T, Ikeda K, Suzuki T, Yamaga R, Sato W, Horie-Inoue K, Shigekawa T, Osaki A, Saeki T, Okamoto K, Takeda S, Inoue S. MicroRNA-574-3p, identified by microRNA library-based functional screening, modulates tamoxifen response in breast cancer. *Sci Rep*. 2015 Jan 6;5:7641. doi: 10.1038/srep07641. PubMed PMID: 25560734.

- Ikeda K, Horie-Inoue K, Inoue S. Identification of estrogen-responsive genes based on the DNA binding properties of estrogen receptors using high-throughput sequencing technology. *Acta Pharmacol Sin.* 2015 Jan;36(1):24-31. doi: 10.1038/aps.2014.123. Review. PubMed PMID: 25500870.
- Tsuchihashi T, Mori K, Horie-Inoue K, Okazaki Y, Awata T, Inoue S, Yoneya S. Prognostic phenotypic and genotypic factors associated with photodynamic therapy response in patients with age-related macular degeneration. *Clin Ophthalmol.* 2014 Dec 5;8:2471-8. doi: 10.2147/OPTH.S71305. PubMed PMID: 25525324.
- Miyazaki T, Ikeda K, Horie-Inoue K, Kondo T, Takahashi S, Inoue S. EBAG9 modulates host immune defense against tumor formation and metastasis by regulating cytotoxic activity of T lymphocytes. *Oncogenesis.* 2014 Nov 3;3:e126. doi: 10.1038/oncsis.2014.40. PubMed PMID: 25365482.
- Maruyama Y, Miyazaki T, Ikeda K, Okumura T, Sato W, Horie-Inoue K, Okamoto K, Takeda S, Inoue S. Short hairpin RNA library-based functional screening identified ribosomal protein L31 that modulates prostate cancer cell growth via p53 pathway. *PLoS One.* 2014 Oct 6;9(10):e108743. doi: 10.1371/journal.pone.0108743. PubMed PMID: 25285958.
- Shiba S, Ikeda K, Azuma K, Hasegawa T, Amizuka N, Horie-Inoue K, Inoue S.  $\gamma$ -Glutamyl carboxylase in osteoblasts regulates glucose metabolism in mice. *Biochem Biophys Res Commun.* 2014 Oct 24;453(3):350-5. doi: 10.1016/j.bbrc.2014.09.091. PubMed PMID: 25264202.
- Miyazaki T, Ikeda K, Horie-Inoue K, Inoue S. Amyloid precursor protein regulates migration and metalloproteinase gene expression in prostate cancer cells. *Biochem Biophys Res Commun.* 2014 Sep 26;452(3):828-33. doi: 10.1016/j.bbrc.2014.09.010. PubMed PMID: 25218471.
- Horie-Inoue K, Inoue S. Genomic aspects of age-related macular degeneration. *Biochem Biophys Res Commun.* 2014 Sep 19;452(2):263-75. doi: 10.1016/j.bbrc.2014.08.013. Review. PubMed PMID: 25111812.
- Boele J, Persson H, Shin JW, Ishizu Y, Newie IS, Søkilde R, Hawkins SM, Coarfa C, Ikeda K, Takayama K, Horie-Inoue K, Ando Y, Burroughs AM, Sasaki C, Suzuki C, Sakai M, Aoki S, Ogawa A, Hasegawa A, Lizio M, Kaida K, Teusink B, Carninci P, Suzuki H, Inoue S, Gunaratne PH, Rovira C, Hayashizaki Y, de Hoon MJ. PAPD5-mediated 3' adenylation and subsequent degradation of miR-21 is disrupted in proliferative disease. *Proc Natl Acad Sci U S A.* 2014 Aug 5;111(31):11467-72. doi: 10.1073/pnas.1317751111. PubMed PMID: 25049417.
- Ikeda K, Horie-Inoue K, Inoue S. Analysis of TFRNs associated with steroid hormone-related cancers. *Methods Mol Biol.* 2014;1164:197-209. doi: 10.1007/978-1-4939-0805-9\_16. PubMed PMID: 24927845.
- Yamaga R, Ikeda K, Boele J, Horie-Inoue K, Takayama K, Urano T, Kaida K, Carninci P, Kawai J, Hayashizaki Y, Ouchi Y, de Hoon M, Inoue S. Systemic identification of estrogen-regulated genes in breast cancer cells through cap analysis of gene expression mapping. *Biochem Biophys Res Commun.* 2014 May 9;447(3):531-6. doi: 10.1016/j.bbrc.2014.04.033. PubMed PMID: 24746470.

- Azuma K, Tsukui T, Ikeda K, Shiba S, Nakagawa K, Okano T, Urano T, Horie-Inoue K, Ouchi Y, Ikawa M, Inoue S. Liver-specific  $\gamma$ -glutamyl carboxylase-deficient mice display bleeding diathesis and short life span. *PLoS One*. 2014 Feb 10;9(2):e88643. doi: 10.1371/journal.pone.0088643. PubMed PMID: 24520408.
- Ijichi N, Shigekawa T, Ikeda K, Miyazaki T, Horie-Inoue K, Shimizu C, Saji S, Aogi K, Tsuda H, Osaki A, Saeki T, Inoue S. Association of positive EBAG9 immunoreactivity with unfavorable prognosis in breast cancer patients treated with tamoxifen. *Clin Breast Cancer*. 2013 Dec;13(6):465-70. doi: 10.1016/j.clbc.2013.08.015. PubMed PMID: 24119785.
- Ikeda K, Shiba S, Horie-Inoue K, Shimokata K, Inoue S. A stabilizing factor for mitochondrial respiratory supercomplex assembly regulates energy metabolism in muscle. *Nat Commun*. 2013;4:2147. doi: 10.1038/ncomms3147. PubMed PMID: 23857330.
- Horie-Inoue K. TRIM proteins as trim tabs for the homeostasis. *J Biochem*. 2013 Oct;154(4):309-12. doi: 10.1093/jb/mvt076. PubMed PMID: 23969027.
- Ijichi N, Ikeda K, Horie-Inoue K, Inoue S. FOXP1 and estrogen signaling in breast cancer. *Vitam Horm*. 2013;93:203-12. doi: 10.1016/B978-0-12-416673-8.00006-X. Review. PubMed PMID: 23810008.
- Takayama K, Horie-Inoue K, Katayama S, Suzuki T, Tsutsumi S, Ikeda K, Urano T, Fujimura T, Takagi K, Takahashi S, Homma Y, Ouchi Y, Aburatani H, Hayashizaki Y, Inoue S. Androgen-responsive long noncoding RNA CTBP1-AS promotes prostate cancer. *EMBO J*. 2013 Jun 12;32(12):1665-80. doi: 10.1038/emboj.2013.99. PubMed PMID: 23644382; PubMed Central PMCID: PMC3680743.
- Yamaga R, Ikeda K, Horie-Inoue K, Ouchi Y, Suzuki Y, Inoue S. RNA sequencing of MCF-7 breast cancer cells identifies novel estrogen-responsive genes with functional estrogen receptor-binding sites in the vicinity of their transcription start sites. *Horm Cancer*. 2013 Aug;4(4):222-32. doi: 10.1007/s12672-013-0140-3. PubMed PMID: 23526455.
- Horie-Inoue K, Inoue S. Genome-wide integrated analyses of androgen receptor signaling in prostate cancer based on high-throughput technology. *Curr Drug Targets*. 2013 Apr;14(4):472-80. Review. PubMed PMID: 23410126.
- Ito M, Urano T, Hiroi H, Momoeda M, Saito M, Hosokawa Y, Tsutsumi R, Zenri F, Koizumi M, Nakae H, Horie-Inoue K, Fujii T, Yano T, Kozuma S, Inoue S, Taketani Y. The progesterone-responsive gene 14-3-3 $\tau$  enhances the transcriptional activity of progesterone receptor in uterine cells. *J Mol Endocrinol*. 2012 Oct 10;49(3):193-202. doi: 10.1530/JME-12-0112. PubMed PMID: 22967481.
- Ikeda K, Tsukui T, Imazawa Y, Horie-Inoue K, Inoue S. Conditional expression of constitutively active estrogen receptor  $\alpha$  in chondrocytes impairs longitudinal bone growth in mice. *Biochem Biophys Res Commun*. 2012 Sep 7;425(4):912-7. doi: 10.1016/j.bbrc.2012.07.170. PubMed PMID: 22902633.
- Murata T, Takayama K, Urano T, Fujimura T, Ashikari D, Obinata D, Horie-Inoue K, Takahashi S, Ouchi Y, Homma Y, Inoue S. 14-3-3 $\zeta$ , a novel androgen-responsive gene, is upregulated in prostate cancer and promotes prostate cancer cell proliferation and survival. *Clin Cancer Res*. 2012 Oct 15;18(20):5617-27. doi: 10.1158/1078-0432.CCR-12-0281. PubMed PMID: 22904106.

- Ikeda K, Tsukui T, Tanaka D, Maruyama Y, Horie-Inoue K, Inoue S. Conditional expression of human bone Gla protein in osteoblasts causes skeletal abnormality in mice. *Biochem Biophys Res Commun.* 2012 Jul 20;424(1):164-9. doi: 10.1016/j.bbrc.2012.06.098. PubMed PMID: 22735266.
- Ijichi N, Shigekawa T, Ikeda K, Horie-Inoue K, Shimizu C, Saji S, Aogi K, Tsuda H, Osaki A, Saeki T, Inoue S. Association of double-positive FOXA1 and FOXP1 immunoreactivities with favorable prognosis of tamoxifen-treated breast cancer patients. *Horm Cancer.* 2012 Aug;3(4):147-59. doi: 10.1007/s12672-012-0111-0. PubMed PMID: 22476979.
- Takayama K, Horie-Inoue K, Suzuki T, Urano T, Ikeda K, Fujimura T, Takahashi S, Homma Y, Ouchi Y, Inoue S. TACC2 is an androgen-responsive cell cycle regulator promoting androgen-mediated and castration-resistant growth of prostate cancer. *Mol Endocrinol.* 2012 May;26(5):748-61. doi: 10.1210/me.2011-1242. PubMed PMID: 22456197.
- Abe Y, Ijichi N, Ikeda K, Kayano H, Horie-Inoue K, Takeda S, Inoue S. Forkhead box transcription factor, forkhead box A1, shows negative association with lymph node status in endometrial cancer, and represses cell proliferation and migration of endometrial cancer cells. *Cancer Sci.* 2012 Apr;103(4):806-12. doi: 10.1111/j.1349-7006.2012.02201.x. PubMed PMID: 22313737.
- Fujimura T, Takahashi S, Urano T, Tanaka T, Zhang W, Azuma K, Takayama K, Obinata D, Murata T, Horie-Inoue K, Kodama T, Ouchi Y, Homma Y, Inoue S. Clinical significance of steroid and xenobiotic receptor and its targeted gene CYP3A4 in human prostate cancer. *Cancer Sci.* 2012 Feb;103(2):176-80. doi: 10.1111/j.1349-7006.2011.02143.x. PubMed PMID: 22050110.
- Endo H, Ikeda K, Urano T, Horie-Inoue K, Inoue S. Terf/TRIM17 stimulates degradation of kinetochore protein ZWINT and regulates cell proliferation. *J Biochem.* 2012 Feb;151(2):139-44. doi: 10.1093/jb/mvr128. PubMed PMID: 22023800.
- Yamashiro K, Mori K, Nakata I, Tsuchihashi T, Horie-Inoue K, Nakanishi H, Tsujikawa A, Saito M, Iida T, Yamada R, Matsuda F, Inoue S, Awata T, Yoneya S, Yoshimura N. Association of elastin gene polymorphism to age-related macular degeneration and polypoidal choroidal vasculopathy. *Invest Ophthalmol Vis Sci.* 2011 Nov 11;52(12):8780-4. doi: 10.1167/iovs.11-8205. PubMed PMID: 22003121.
- Shigekawa T, Ijichi N, Ikeda K, Horie-Inoue K, Shimizu C, Saji S, Aogi K, Tsuda H, Osaki A, Saeki T, Inoue S. FOXP1, an estrogen-inducible transcription factor, modulates cell proliferation in breast cancer cells and 5-year recurrence-free survival of patients with tamoxifen-treated breast cancer. *Horm Cancer.* 2011 Oct;2(5):286-97. doi: 10.1007/s12672-011-0082-6. PubMed PMID: 21901488.
- Obinata D, Takayama K, Urano T, Murata T, Ikeda K, Horie-Inoue K, Ouchi Y, Takahashi S, Inoue S. ARFGAP3, an androgen target gene, promotes prostate cancer cell proliferation and migration. *Int J Cancer.* 2012 May 15;130(10):2240-8. doi: 10.1002/ijc.26224. PubMed PMID: 21647875.
- Kabasawa S, Mori K, Horie-Inoue K, Gehlbach PL, Inoue S, Awata T, Katayama S, Yoneya S. Associations of cigarette smoking but not serum fatty acids with age-related macular degeneration in a Japanese population. *Ophthalmology.* 2011 Jun;118(6):1082-8. doi: 10.1016/j.ophtha.2010.10.012. PubMed PMID: 21514959.

- Ikeda K, Tsukui T, Horie-Inoue K, Inoue S. Conditional expression of constitutively active estrogen receptor  $\alpha$  in osteoblasts increases bone mineral density in mice. *FEBS Lett.* 2011 May 6;585(9):1303-9. doi: 10.1016/j.febslet.2011.03.038. PubMed PMID: 21439958.
- Obinata D, Takayama K, Urano T, Murata T, Kumagai J, Fujimura T, Ikeda K, Horie-Inoue K, Homma Y, Ouchi Y, Takahashi S, Inoue S. Oct1 regulates cell growth of LNCaP cells and is a prognostic factor for prostate cancer. *Int J Cancer.* 2012 Mar 1;130(5):1021-8. doi: 10.1002/ijc.26043. PubMed PMID: 21387309.
- Takayama K, Tsutsumi S, Katayama S, Okayama T, Horie-Inoue K, Ikeda K, Urano T, Kawazu C, Hasegawa A, Ikeo K, Gojyobori T, Ouchi Y, Hayashizaki Y, Aburatani H, Inoue S. Integration of cap analysis of gene expression and chromatin immunoprecipitation analysis on array reveals genome-wide androgen receptor signaling in prostate cancer cells. *Oncogene.* 2011 Feb 3;30(5):619-30. doi: 10.1038/onc.2010.436. PubMed PMID: 20890304.
- Ijichi N, Shigekawa T, Ikeda K, Horie-Inoue K, Fujimura T, Tsuda H, Osaki A, Saeki T, Inoue S. Estrogen-related receptor  $\gamma$  modulates cell proliferation and estrogen signaling in breast cancer. *J Steroid Biochem Mol Biol.* 2011 Jan;123(1-2):1-7. doi: 10.1016/j.jsbmb.2010.09.002. PubMed PMID: 20883782.
- Murata T, Takayama K, Katayama S, Urano T, Horie-Inoue K, Ikeda K, Takahashi S, Kawazu C, Hasegawa A, Ouchi Y, Homma Y, Hayashizaki Y, Inoue S. miR-148a is an androgen-responsive microRNA that promotes LNCaP prostate cell growth by repressing its target CAND1 expression. *Prostate Cancer Prostatic Dis.* 2010 Dec;13(4):356-61. doi: 10.1038/pcan.2010.32. PubMed PMID: 20820187.
- Tsuchihashi T, Mori K, Horie-Inoue K, Gehlbach PL, Kabasawa S, Takita H, Ueyama K, Okazaki Y, Inoue S, Awata T, Katayama S, Yoneya S. Complement factor H and high-temperature requirement A-1 genotypes and treatment response of age-related macular degeneration. *Ophthalmology.* 2011 Jan;118(1):93-100. doi: 10.1016/j.ophtha.2010.04.007. PubMed PMID: 20678803.
- Imai D, Mori K, Horie-Inoue K, Gehlbach PL, Awata T, Inoue S, Yoneya S. CFH, VEGF, and PEDF genotypes and the response to intravitreal injection of bevacizumab for the treatment of age-related macular degeneration. *J Ocul Biol Dis Infor.* 2010 Jun;3(2):53-9. doi: 10.1007/s12177-010-9055-1. PubMed PMID: 21811649.
- Ueyama K, Ikeda K, Sato W, Nakasato N, Horie-Inoue K, Takeda S, Inoue S. Knockdown of Efp by DNA-modified small interfering RNA inhibits breast cancer cell proliferation and in vivo tumor growth. *Cancer Gene Ther.* 2010 Sep;17(9):624-32. doi: 10.1038/cgt.2010.19. PubMed PMID: 20467453.
- Mori K, Horie-Inoue K, Gehlbach PL, Takita H, Kabasawa S, Kawasaki I, Ohkubo T, Kurihara S, Iizuka H, Miyashita Y, Katayama S, Awata T, Yoneya S, Inoue S. Phenotype and genotype characteristics of age-related macular degeneration in a Japanese population. *Ophthalmology.* 2010 May;117(5):928-38. doi: 10.1016/j.ophtha.2009.10.001. PubMed PMID: 20132989.
- Fujimura T, Takahashi S, Urano T, Ijichi N, Ikeda K, Kumagai J, Murata T, Takayama K, Horie-Inoue K, Ouchi Y, Muramatsu M, Homma Y, Inoue S. Differential expression of estrogen-related receptors beta and gamma (ERRbeta and ERRgamma) and their clinical significance in human prostate cancer. *Cancer Sci.* 2010 Mar;101(3):646-51. doi: 10.1111/j.1349-7006.2009.01451.x. PubMed PMID: 20128821.

- Urano T, Narusawa K, Kobayashi S, Shiraki M, Horie-Inoue K, Sasaki N, Hosoi T, Ouchi Y, Nakamura T, Inoue S. Association of HTRA1 promoter polymorphism with spinal disc degeneration in Japanese women. *J Bone Miner Metab.* 2010 Mar;28(2):220-6. doi: 10.1007/s00774-009-0124-0. PubMed PMID: 19798546.
- Fujimura T, Takahashi S, Urano T, Kumagai J, Murata T, Takayama K, Ogushi T, Horie-Inoue K, Ouchi Y, Kitamura T, Muramatsu M, Homma Y, Inoue S. Expression of cytochrome P450 3A4 and its clinical significance in human prostate cancer. *Urology.* 2009 Aug;74(2):391-7. doi: 10.1016/j.urology.2009.02.033. PubMed PMID: 19501880.
- Azuma K, Urano T, Horie-Inoue K, Hayashi S, Sakai R, Ouchi Y, Inoue S. Association of estrogen receptor alpha and histone deacetylase 6 causes rapid deacetylation of tubulin in breast cancer cells. *Cancer Res.* 2009 Apr 1;69(7):2935-40. doi: 10.1158/0008-5472.CAN-08-3458. PubMed PMID: 19318565.
- Takayama K, Tsutsumi S, Suzuki T, Horie-Inoue K, Ikeda K, Kaneshiro K, Fujimura T, Kumagai J, Urano T, Sakaki Y, Shirahige K, Sasano H, Takahashi S, Kitamura T, Ouchi Y, Aburatani H, Inoue S. Amyloid precursor protein is a primary androgen target gene that promotes prostate cancer growth. *Cancer Res.* 2009 Jan 1;69(1):137-42. doi: 10.1158/0008-5472.CAN-08-3633. PubMed PMID: 19117996.
- Kumagai J, Urano T, Ogushi T, Takahashi S, Horie-Inoue K, Fujimura T, Azuma K, Muramatsu M, Ouchi Y, Kitamura T, Inoue S. EBAG9 is a tumor-promoting and prognostic factor for bladder cancer. *Int J Cancer.* 2009 Feb 15;124(4):799-805. doi: 10.1002/ijc.23982. PubMed PMID: 19030177.
- Takeo C, Ikeda K, Horie-Inoue K, Inoue S. Identification of Igf2, Igfbp2 and Enpp2 as estrogen-responsive genes in rat hippocampus. *Endocr J.* 2009;56(1):113-20. PubMed PMID: 18946176.
- Kubo M, Ijichi N, Ikeda K, Horie-Inoue K, Takeda S, Inoue S. Modulation of adipogenesis-related gene expression by estrogen-related receptor gamma during adipocytic differentiation. *Biochim Biophys Acta.* 2009 Feb;1789(2):71-7. doi: 10.1016/j.bbagr.2008.08.012. PubMed PMID: 18809516.
- Takayama K, Horie-Inoue K, Ikeda K, Urano T, Murakami K, Hayashizaki Y, Ouchi Y, Inoue S. FOXP1 is an androgen-responsive transcription factor that negatively regulates androgen receptor signaling in prostate cancer cells. *Biochem Biophys Res Commun.* 2008 Sep 19;374(2):388-93. doi: 10.1016/j.bbrc.2008.07.056. PubMed PMID: 18640093.
- Horie-Inoue K, Inoue S. Steroid and xenobiotic receptor mediates a novel vitamin K2 signaling pathway in osteoblastic cells. *J Bone Miner Metab.* 2008;26(1):9-12. Review. PubMed PMID: 18095058.
- Ichikawa T, Horie-Inoue K, Ikeda K, Blumberg B, Inoue S. Vitamin K2 induces phosphorylation of protein kinase A and expression of novel target genes in osteoblastic cells. *J Mol Endocrinol.* 2007 Oct;39(4):239-47. PubMed PMID: 17909264.
- Mori K, Horie-Inoue K, Kohda M, Kawasaki I, Gehlbach PL, Awata T, Yoneya S, Okazaki Y, Inoue S. Association of the HTRA1 gene variant with age-related macular degeneration in the Japanese population. *J Hum Genet.* 2007;52(7):636-41. PubMed PMID: 17568988.

- Ijichi N, Ikeda K, Horie-Inoue K, Yagi K, Okazaki Y, Inoue S. Estrogen-related receptor alpha modulates the expression of adipogenesis-related genes during adipocyte differentiation. *Biochem Biophys Res Commun.* 2007 Jul 6;358(3):813-8. PubMed PMID: 17512501.
- Kumagai J, Fujimura T, Takahashi S, Urano T, Ogushi T, Horie-Inoue K, Ouchi Y, Kitamura T, Muramatsu M, Blumberg B, Inoue S. Cytochrome P450 2B6 is a growth-inhibitory and prognostic factor for prostate cancer. *Prostate.* 2007 Jul 1;67(10):1029-37. PubMed PMID: 17455229.
- Takayama K, Kaneshiro K, Tsutsumi S, Horie-Inoue K, Ikeda K, Urano T, Ijichi N, Ouchi Y, Shirahige K, Aburatani H, Inoue S. Identification of novel androgen response genes in prostate cancer cells by coupling chromatin immunoprecipitation and genomic microarray analysis. *Oncogene.* 2007 Jun 28;26(30):4453-63. PubMed PMID: 17297473.
- Fujimura T, Takahashi S, Urano T, Kumagai J, Ogushi T, Horie-Inoue K, Ouchi Y, Kitamura T, Muramatsu M, Inoue S. Increased expression of estrogen-related receptor alpha (ERRalpha) is a negative prognostic predictor in human prostate cancer. *Int J Cancer.* 2007 Jun 1;120(11):2325-30. PubMed PMID: 17294452.
- Nakasato N, Ikeda K, Urano T, Horie-Inoue K, Takeda S, Inoue S. A ubiquitin E3 ligase Efp is up-regulated by interferons and conjugated with ISG15. *Biochem Biophys Res Commun.* 2006 Dec 15;351(2):540-6. PubMed PMID: 17069755.
- Horie-Inoue K, Inoue S. Epigenetic and proteolytic inactivation of 14-3-3sigma in breast and prostate cancers. *Semin Cancer Biol.* 2006 Jun;16(3):235-9. Review. PubMed PMID: 16682214.
- Ichikawa T, Horie-Inoue K, Ikeda K, Blumberg B, Inoue S. Steroid and xenobiotic receptor SXR mediates vitamin K2-activated transcription of extracellular matrix-related genes and collagen accumulation in osteoblastic cells. *J Biol Chem.* 2006 Jun 23;281(25):16927-34. PubMed PMID: 16606623.
- Horie-Inoue K, Takayama K, Bono HU, Ouchi Y, Okazaki Y, Inoue S. Identification of novel steroid target genes through the combination of bioinformatics and functional analysis of hormone response elements. *Biochem Biophys Res Commun.* 2006 Jan 6;339(1):99-106. PubMed PMID: 16289377.
- Asaoka K, Ikeda K, Hishinuma T, Horie-Inoue K, Takeda S, Inoue S. A retrovirus restriction factor TRIM5alpha is transcriptionally regulated by interferons. *Biochem Biophys Res Commun.* 2005 Dec 30;338(4):1950-6. PubMed PMID: 16289103.
- Suzuki T, Urano T, Tsukui T, Horie-Inoue K, Moriya T, Ishida T, Muramatsu M, Ouchi Y, Sasano H, Inoue S. Estrogen-responsive finger protein as a new potential biomarker for breast cancer. *Clin Cancer Res.* 2005 Sep 1;11(17):6148-54. PubMed PMID: 16144914.
- Ogushi T, Takahashi S, Takeuchi T, Urano T, Horie-Inoue K, Kumagai J, Kitamura T, Ouchi Y, Muramatsu M, Inoue S. Estrogen receptor-binding fragment-associated antigen 9 is a tumor-promoting and prognostic factor for renal cell carcinoma. *Cancer Res.* 2005 May 1;65(9):3700-6. PubMed PMID: 15867365.
- Horie-Inoue K, Bono H, Okazaki Y, Inoue S. Identification and functional analysis of consensus androgen response elements in human prostate cancer cells. *Biochem Biophys Res Commun.* 2004 Dec 24;325(4):1312-7. PubMed PMID: 15555570.

- Urano T, Takahashi S, Suzuki T, Fujimura T, Fujita M, Kumagai J, Horie-Inoue K, Sasano H, Kitamura T, Ouchi Y, Inoue S. 14-3-3sigma is down-regulated in human prostate cancer. *Biochem Biophys Res Commun.* 2004 Jul 2;319(3):795-800. PubMed PMID: 15184053.
- Ikeda K, Ogawa S, Tsukui T, Horie-Inoue K, Ouchi Y, Kato S, Muramatsu M, Inoue S. Protein phosphatase 5 is a negative regulator of estrogen receptor-mediated transcription. *Mol Endocrinol.* 2004 May;18(5):1131-43. PubMed PMID: 14764652.
- Horie K, Urano T, Ikeda K, Inoue S. Estrogen-responsive RING finger protein controls breast cancer growth. *J Steroid Biochem Mol Biol.* 2003 Jun;85(2-5):101-4. Review. PubMed PMID: 12943693.
- Horie K, Urano T, Inoue S. Efp as a new molecular target for breast cancer therapy. *Anticancer Drugs.* 2003 Jan;14(1):1-2. Review. PubMed PMID: 12544252.
- Fujita M, Urano T, Horie K, Ikeda K, Tsukui T, Fukuoka H, Tsutsumi O, Ouchi Y, Inoue S. Estrogen activates cyclin-dependent kinases 4 and 6 through induction of cyclin D in rat primary osteoblasts. *Biochem Biophys Res Commun.* 2002 Nov 29;299(2):222-8. PubMed PMID: 12437973.
- Inoue S, Ogawa S, Horie K, Hoshino S, Goto W, Hosoi T, Tsutsumi O, Muramatsu M, Ouchi Y. An estrogen receptor beta isoform that lacks exon 5 has dominant negative activity on both ERalpha and ERbeta. *Biochem Biophys Res Commun.* 2000 Dec 29;279(3):814-9. PubMed PMID: 11162434.
- Urano T, Saito T, Tsukui T, Fujita M, Hosoi T, Muramatsu M, Ouchi Y, Inoue S. Efp targets 14-3-3 $\sigma$  for proteolysis and promotes breast tumour growth. *Nature.* 2002 Jun 20;417(6891):871-5. PubMed PMID: 12075357.