

1. Borna NN, Kishita Y, Ishikawa K, Nakada K, Hayashi J-I, Tokuzawa Y, Kohda M, Nyuzuki H, Yamashita-Sugahara Y, Nasu T, Takeda A, Murayama K, Ohtake A, Okazaki Y. A novel mutation in TAZ causes mitochondrial respiratory chain disorder without cardiomyopathy. *J Hum Genet.* January 2017. doi:10.1038/jhg.2016.165.
2. Chika N, Eguchi H, Kumamoto K, Suzuki O, Ishibashi K, Tachikawa T, Akagi K, Tamaru J-I, Okazaki Y, Ishida H. Prevalence of Lynch syndrome and Lynch-like syndrome among patients with colorectal cancer in a Japanese hospital-based population. *Jpn J Clin Oncol.* 2016;47(2):108-117. doi:10.1093/jjco/hyw178.
3. Imai A, Kohda M, Nakaya A, Sakata Y, Murayama K, Ohtake A, Lathrop M, Okazaki Y, Ott J. HDR: a statistical two-step approach successfully identifies disease genes in autosomal recessive families. *J Hum Genet.* 2016;61(11):959-963. doi:10.1038/jhg.2016.85.
4. Imai A, Kishita Y, Nakayama Y, Fujita S, Futatani T, Kohda M, Yatsuka Y, Nakaya A, Sakata Y, Murayama K, Ohtake A, Okazaki Y. Dried blood spots for newborn screening allows easy determination of a high heteroplasmy rate in severe infantile cardiomyopathy. *Int J Cardiol.* 2016;221:446-449. doi:10.1016/j.ijcard.2016.06.287.
5. Kohda M, Kumamoto K, Eguchi H, Hirata T, Tada Y, Tanakaya K, Akagi K, Takenoshita S, Iwama T, Ishida H, Okazaki Y. Rapid detection of germline mutations for hereditary gastrointestinal polyposis/cancers using HaloPlex target enrichment and high-throughput sequencing technologies. *Fam Cancer.* 2016;15(4):553-562. doi:10.1007/s10689-016-9872-x.
6. Kumamoto K, Ishida H, Suzuki O, Tajima Y, Chika N, Kuwabara K, Ishibashi K, Saito K, Nagata K, Eguchi H, Tamaru J, Iwama T. Lower prevalence of Lynch syndrome in colorectal cancer patients in a Japanese hospital-based population. *Surg Today.* 2016;46(6):713-720. doi:10.1007/s00595-015-1232-1.

7. Suzuki A, Hirasaki M, Hishida T, Wu J, Okamura D, Ueda A, Nishimoto M, Nakachi Y, Mizuno Y, Okazaki Y, Matsui Y, Izpisua Belmonte JC, Okuda A. Loss of MAX results in meiotic entry in mouse embryonic and germline stem cells. *Nat Commun.* 2016;7:11056. doi:10.1038/ncomms11056.
8. Imai A, Fujita S, Kishita Y, Kohda M, Tokuzawa Y, Hirata T, Mizuno Y, Harashima H, Nakaya A, Sakata Y, Takeda A, Mori M, Murayama K, Ohtake A, Okazaki Y. Rapidly progressive infantile cardiomyopathy with mitochondrial respiratory chain complex V deficiency due to loss of ATPase 6 and 8 protein. *Int J Cardiol.* 2016;207:203-205. doi:10.1016/j.ijcard.2016.01.026.
9. Eguchi H, Kumamoto K, Suzuki O, Kohda M, Tada Y, Okazaki Y, Ishida H. Identification of a Japanese Lynch syndrome patient with large deletion in the 3' region of the EPCAM gene. *Jpn J Clin Oncol.* 2016;46(2):178-184. doi:10.1093/jjco/hyv172.
10. Iseki H, Nakachi Y, Hishida T, Yamashita-Sugahara Y, Hirasaki M, Ueda A, Tanimoto Y, Iijima S, Sugiyama F, Yagami KI, Takahashi S, Okuda A, Okazaki Y. Combined Overexpression of JARID2, PRDM14, ESRRB, and SALL4 Dramatically Improves Efficiency and Kinetics of Reprogramming to Induced Pluripotent Stem Cells. *Stem Cells.* 2016;34(2):322-333. doi:10.1002/stem.2243.
11. Kohda M, Tokuzawa Y, Kishita Y, Nyuzuki H, Moriyama Y, Mizuno Y, Hirata T, Yatsuka Y, Yamashita-Sugahara Y, Nakachi Y, Kato H, Okuda A, Tamaru S, Bornhauser NN, Banskaya K, Aigaki T, Sato-Miyata Y, Ohnuma K, Suzuki T, Nagao A, Maehata H, Matsuda F, Higasa K, Nagasaki M, Yasuda J, Yamamoto M, Fushimi T, Shimura M, Kaiho-Ichimoto K, Harashima H, Yamazaki T, Mori M, Murayama K, Ohtake A, Okazaki Y. A Comprehensive Genomic Analysis Reveals the Genetic Landscape of Mitochondrial Respiratory Chain Complex Deficiencies. Barsh GS, ed. *PLoS Genet.* 2016;12(1):e1005679. doi:10.1371/journal.pgen.1005679.

12. Kishita Y, Pajak A, Bolar NA, Marobbio CMT, Maffezzini C, Miniero DV, Monné M, Kohda M, Stranneheim H, Murayama K, Naess K, Lesko N, Bruhn H, Mourier A, Wibom R, Nennesmo I, Jespers A, Govaert P, Ohtake A, Van Laer L, Loeys BL, Freyer C, Palmieri F, Wredenberg A, Okazaki Y, Wedell A. Intra-mitochondrial Methylation Deficiency Due to Mutations in SLC25A26. *Am J Hum Genet.* 2015;97(5):761-768.
doi:10.1016/j.ajhg.2015.09.013.
13. Montassir H, Maegaki Y, Murayama K, Yamazaki T, Kohda M, Ohtake A, Iwasa H, Yatsuka Y, Okazaki Y, Sugiura C, Nagata I, Toyoshima M, Saito Y, Itoh M, Nishino I, Ohno K. Myocerebrohepatopathy spectrum disorder due to POLG mutations: A clinicopathological report. *Brain Dev.* 2015;37(7):719-724. doi:10.1016/j.braindev.2014.10.013.
14. Tamaru S, Mizuno Y, Tochigi H, Kajihara T, Okazaki Y, Okagaki R, Kamei Y, Ishihara O, Itakura A. MicroRNA-135b suppresses extravillous trophoblast-derived HTR-8/SVneo cell invasion by directly down regulating CXCL12 under low oxygen conditions. *Biochem Biophys Res Commun.* 2015;461(2):421-426. doi:10.1016/j.bbrc.2015.04.055.
15. Haack TB, Jackson CB, Murayama K, Kremer LS, Schaller A, Kotzaeridou U, de Vries MC, Schottmann G, Santra S, Büchner B, Wieland T, Graf E, Freisinger P, Eggimann S, Ohtake A, Okazaki Y, Kohda M, Kishita Y, Tokuzawa Y, Sauer S, Memari Y, Kolb-Kokocinski A, Durbin R, Hasselmann O, Cremer K, Albrecht B, Wieczorek D, Engels H, Hahn D, Zink AM, Alston CL, Taylor RW, Rodenburg RJ, Trollmann R, Sperl W, Strom TM, Hoffmann GF, Mayr JA, Meitinger T, Bolognini R, Schuelke M, Nuoffer J-M, Kölker S, Prokisch H, Klopstock T. Deficiency of ECHS1 causes mitochondrial encephalopathy with cardiac involvement. *Ann Clin Transl Neurol.* 2015;2(5):492-509. doi:10.1002/acn3.189.
16. Katano M, Ema M, Nakachi Y, Mizuno Y, Hirasaki M, Suzuki A, Ueda A, Nishimoto M, Takahashi S, Okazaki Y, Okuda A. Forced expression of

Nanog or Esrrb preserves the ESC status in the absence of nucleostemin expression. *Stem Cells*. 2015;33(4):1089-1101. doi:10.1002/stem.1918.

17. Nakachi Y, Iseki M, Yokoo T, Mizuno Y, Okazaki Y. Gene expression profile of the neonatal female mouse brain after administration of testosterone propionate. *J Sex Med*. 2015;12(4):887-896. doi:10.1111/jsm.12802.
18. Hishida T, Nakachi Y, Mizuno Y, Katano M, Okazaki Y, Ema M, Takahashi S, Hirasaki M, Suzuki A, Ueda A, Nishimoto M, Hishida-Nozaki Y, Vazquez-Ferrer E, Sancho-Martinez I, Izpisua Belmonte JC, Okuda A. Functional compensation between Myc and PI3K signaling supports self-renewal of embryonic stem cells. *Stem Cells*. 2015;33(3):713-725. doi:10.1002/stem.1893.
19. Arner E, Daub CO, Vitting-Seerup K, Andersson R, Lilje B, Drabløs F, Lennartsson A, Rönnerblad M, Hrydziuszko O, Vitezic M, Freeman TC, Alhendi AMN, Arner P, Axton R, Baillie JK, Beckhouse A, Bodega B, Briggs J, Brombacher F, Davis M, Detmar M, Ehrlund A, Endoh M, Eslami A, Fagiolini M, Fairbairn L, Faulkner GJ, Ferrai C, Fisher ME, Forrester L, Goldowitz D, Guler R, Ha T, Hara M, Herlyn M, Ikawa T, Kai C, Kawamoto H, Khachigian LM, Klinken SP, Kojima S, Koseki H, Klein S, Mejhert N, Miyaguchi K, Mizuno Y, Morimoto M, Morris KJ, Mummery C, Nakachi Y, Ogishima S, Okada-Hatakeyama M, Okazaki Y, Orlando V, Ovchinnikov D, Passier R, Patrikakis M, Pombo A, Qin X-Y, Roy S, Sato H, Savvi S, Saxena A, Schwegmann A, Sugiyama D, Swoboda R, Tanaka H, Tomoiu A, Winteringham LN, Wolvetang E, Yanagi-Mizuochi C, Yoneda M, Zabierowski S, Zhang P, Abugessaisa I, Bertin N, Diehl AD, Fukuda S, Furuno M, Harshbarger J, Hasegawa A, Hori F, Ishikawa-Kato S, Ishizu Y, Itoh M, Kawashima T, Kojima M, Kondo N, Lizio M, Meehan TF, Mungall CJ, Murata M, Nishiyori-Sueki H, Sahin S, Nagao-Sato S, Severin J, de Hoon MJL, Kawai J, et al. Transcribed enhancers lead waves of coordinated transcription in transitioning mammalian cells. *New Scientist*. 2015;347(6225):1010-1014. doi:10.1126/science.1259418.

20. Brea-Calvo G, Haack TB, Karall D, Ohtake A, Invernizzi F, Carrozzo R, Kremer L, Dusi S, Fauth C, Scholl-Bürgi S, Graf E, Ahting U, Resta N, Laforgia N, Verrigni D, Okazaki Y, Kohda M, Martinelli D, Freisinger P, Strom TM, Meitinger T, Lamperti C, Lacson A, Navas P, Mayr JA, Bertini E, Murayama K, Zeviani M, Prokisch H, Ghezzi D. COQ4 mutations cause a broad spectrum of mitochondrial disorders associated with CoQ10 deficiency. *Am J Hum Genet.* 2015;96(2):309-317. doi:10.1016/j.ajhg.2014.12.023.
21. Putra AC, Eguchi H, Lee KL, Yamane Y, Gustine E, Isobe T, Nishiyama M, Hiyama K, Poellinger L, Tanimoto K. The A Allele at rs13419896 of EPAS1 Is Associated with Enhanced Expression and Poor Prognosis for Non-Small Cell Lung Cancer. Seagroves T, ed. *PLoS ONE.* 2015;10(8):e0134496. doi:10.1371/journal.pone.0134496.
22. Kopajtich R, Nicholls TJ, Rorbach J, Metodiev MD, Freisinger P, Mandel H, Vanlander A, Ghezzi D, Carrozzo R, Taylor RW, Marquard K, Murayama K, Wieland T, Schwarzmayr T, Mayr JA, Pearce SF, Powell CA, Saada A, Ohtake A, Invernizzi F, Lamantea E, Sommerville EW, Pyle A, Chinnery PF, Crushell E, Okazaki Y, Kohda M, Kishita Y, Tokuzawa Y, Assouline Z, Rio M, Feillet F, Mousson de Camaret B, Chretien D, Munnich A, Menten B, Sante T, Smet J, Régál L, Lorber A, Khoury A, Zeviani M, Strom TM, Meitinger T, Bertini ES, Van Coster R, Klopstock T, Rötig A, Haack TB, Minczuk M, Prokisch H. Mutations in GTPBP3 cause a mitochondrial translation defect associated with hypertrophic cardiomyopathy, lactic acidosis, and encephalopathy. *Am J Hum Genet.* 2014;95(6):708-720. doi:10.1016/j.ajhg.2014.10.017.
23. Hamatani K, Eguchi H, Koyama K, Mukai M, Nakachi K, Kusunoki Y. A novel RET rearrangement (ACBD5/RET) by pericentric inversion, inv(10)(p12.1;q11.2), in papillary thyroid cancer from an atomic bomb survivor exposed to high-dose radiation. *Oncol Rep.* 2014;32(5):1809-1814. doi:10.3892/or.2014.3449.

24. Iwamoto S, Tanimoto K, Nishio Y, Putra AC, Fuchita H, Ohe M, Sutani A, Kuraki T, Hiyama K, Murakami I, Eguchi H, Isobe T. Association of EPAS1 gene rs4953354 polymorphism with susceptibility to lung adenocarcinoma in female Japanese non-smokers. *J Thorac Oncol.* 2014;9(11):1709-1713. doi:10.1097/JTO.0000000000000309.
25. Kamon M, Katano M, Hiraki-Kamon K, Hishida T, Nakachi Y, Mizuno Y, Okazaki Y, Suzuki A, Hirasaki M, Ueda A, Nishimoto M, Kato H, Okuda A. Identification of Ccr4-not complex components as regulators of transition from partial to genuine induced pluripotent stem cells. *Stem Cells Dev.* 2014;23(18):2170-2179. doi:10.1089/scd.2013.0326.
26. Uehara N, Mori M, Tokuzawa Y, Mizuno Y, Tamaru S, Kohda M, Moriyama Y, Nakachi Y, Matoba N, Sakai T, Yamazaki T, Harashima H, Murayama K, Hattori K, Hayashi J-I, Yamagata T, Fujita Y, Ito M, Tanaka M, Nibu K-I, Ohtake A, Okazaki Y. New MT-ND6 and NDUFA1 mutations in mitochondrial respiratory chain disorders. *Ann Clin Transl Neurol.* 2014;1(5):361-369. doi:10.1002/acn3.59.
27. Ohtake A, Murayama K, Mori M, Harashima H, Yamazaki T, Tamaru S, Yamashita Y, Kishita Y, Nakachi Y, Kohda M, Tokuzawa Y, Mizuno Y, Moriyama Y, Kato H, Okazaki Y. Diagnosis and molecular basis of mitochondrial respiratory chain disorders: exome sequencing for disease gene identification. *Biochim Biophys Acta.* 2014;1840(4):1355-1359. doi:10.1016/j.bbagen.2014.01.025.
28. FANTOM Consortium and the RIKEN PMI and CLST (DGT), Forrest ARR, Kawaji H, Rehli M, Baillie JK, de Hoon MJL, Haberle V, Lassmann T, Kulakovskiy IV, Lizio M, Itoh M, Andersson R, Mungall CJ, Meehan TF, Schmeier S, Bertin N, Jørgensen M, Dimont E, Arner E, Schmidl C, Schaefer U, Medvedeva YA, Plessy C, Vitezic M, Severin J, Semple CA, Ishizu Y, Young RS, Francescato M, Alam I, Albanese D, Altschuler GM, Arakawa T, Archer JAC, Arner P, Babina M, Rennie S, Balwiercz PJ, Beckhouse AG, Pradhan-Bhatt S, Blake JA, Blumenthal A, Bodega B,

Bonetti A, Briggs J, Brombacher F, Burroughs AM, Califano A, Cannistraci CV, Carbajo D, Chen Y, Chierici M, Ciani Y, Clevers HC, Dalla E, Davis CA, Detmar M, Diehl AD, Dohi T, Drabløs F, Edge ASB, Edinger M, Ekwall K, Endoh M, Enomoto H, Fagiolini M, Fairbairn L, Fang H, Farach-Carson MC, Faulkner GJ, Favorov AV, Fisher ME, Frith MC, Fujita R, Fukuda S, Furlanello C, Furino M, Furusawa J-I, Geijtenbeek TB, Gibson AP, Gingeras T, Goldowitz D, Gough J, Guhl S, Guler R, Gustincich S, Ha TJ, Hamaguchi M, Hara M, Harbers M, Harshbarger J, Hasegawa A, Hasegawa Y, Hashimoto T, Herlyn M, Hitchens KJ, Ho Sui SJ, Hofmann OM, et al. A promoter-level mammalian expression atlas. *Nature*. 2014;507(7493):462-470. doi:10.1038/nature13182.

29. Awata T, Yamashita H, Kurihara S, Morita-Ohkubo T, Miyashita Y, Katayama S, Mori K, Yoneya S, Kohda M, Okazaki Y, Maruyama T, Shimada A, Yasuda K, Nishida N, Tokunaga K, Koike A. A genome-wide association study for diabetic retinopathy in a Japanese population: potential association with a long intergenic non-coding RNA. Maeda S, ed. *PLoS ONE*. 2014;9(11):e1111715. doi:10.1371/journal.pone.0111715.
30. Tsuchihashi T, Mori K, Horie-Inoue K, Okazaki Y, Awata T, Inoue S, Yoneya S. Prognostic phenotypic and genotypic factors associated with photodynamic therapy response in patients with age-related macular degeneration. *Clin Ophthalmol*. 2014;8:2471-2478. doi:10.2147/OPHTH.S71305.
31. Suzuki T, Wada S, Eguchi H, Adachi J-I, Mishima K, Matsutani M, Nishikawa R, Nishiyama M. Cadherin 13 overexpression as an important factor related to the absence of tumor fluorescence in 5-aminolevulinic acid-guided resection of glioma. *J Neurosurg*. 2013;119(5):1331-1339. doi:10.3171/2013.7.JNS122340.
32. Yamashita-Sugahara Y, Tokuzawa Y, Nakachi Y, Kanasaki-Yatsuka Y, Matsumoto M, Mizuno Y, Okazaki Y. Fam57b (family with sequence similarity 57, member B), a novel peroxisome proliferator-activated

receptor γ target gene that regulates adipogenesis through ceramide synthesis. *J Biol Chem.* 2013;288(7):4522-4537.
doi:10.1074/jbc.M112.440792.

33. Mizuno Y, Ninomiya Y, Nakachi Y, Iseki M, Iwasa H, Akita M, Tsukui T, Shimozawa N, Ito C, Toshimori K, Nishimukai M, Hara H, Maeba R, Okazaki T, Alodaib ANA, Amoudi AI M, Jacob M, Alkuraya FS, Horai Y, Watanabe M, Motegi H, Wakana S, Noda T, Kurochkin IV, Mizuno Y, Schönbach C, Okazaki Y. Tysnd1 deficiency in mice interferes with the peroxisomal localization of PTS2 enzymes, causing lipid metabolic abnormalities and male infertility. Barsh GS, ed. *PLoS Genet.* 2013;9(2):e1003286. doi:10.1371/journal.pgen.1003286.
34. Taga M, Eguchi H, Shinohara T, Takahashi K, Ito R, Yasui W, Nakachi K, Kusunoki Y, Hamatani K. Improved PCR amplification for molecular analysis using DNA from long-term preserved formalin-fixed, paraffin-embedded lung cancer tissue specimens. *Int J Clin Exp Pathol.* 2013;6(1):76-79. doi:10.1080/14764170701708263.
35. Tanisawa K, Mikami E, Fuku N, Honda Y, Honda S, Ohsawa I, Ito M, Endo S, Ihara K, Ohno K, Kishimoto Y, Ishigami A, Maruyama N, Sawabe M, Iseki H, Okazaki Y, Hasegawa-Ishii S, Takei S, Shimada A, Hosokawa M, Mori M, Higuchi K, Takeda T, Higuchi M, Tanaka M. Exome sequencing of senescence-accelerated mice (SAM) reveals deleterious mutations in degenerative disease-causing genes. *BMC Genomics.* 2013;14(1):248. doi:10.1186/1471-2164-14-248.
36. Mohammed AES, Eguchi H, Wada S, Koyama N, Shimizu M, Otani K, Ohtaki M, Tanimoto K, Hiyama K, Gaber MS, Nishiyama M. TMEM158 and FBLP1 as novel marker genes of cisplatin sensitivity in non-small cell lung cancer cells. *Exp Lung Res.* 2012;38(9-10):463-474. doi:10.3109/01902148.2012.731625.
37. Sano H, Wada S, Eguchi H, Osaki A, Saeki T, Nishiyama M. Quantitative prediction of tumor response to neoadjuvant chemotherapy in breast

cancer: novel marker genes and prediction model using the expression levels. *Breast Cancer*. 2012;19(1):37-45. doi:10.1007/s12282-011-0263-8.

38. Grant EJ, Neriishi K, Cologne J, Eguchi H, Hayashi T, Geyer S, Izumi S, Nishi N, Land C, Stevens RG, Sharp GB, Nakachi K. Associations of ionizing radiation and breast cancer-related serum hormone and growth factor levels in cancer-free female A-bomb survivors. *Radiat Res*. 2011;176(5):678-687. doi:10.1667/RR2631.1.S1.
39. Okuizumi H, Takamiya T, Okazaki Y, Hayashizaki Y. Restriction landmark genome scanning. In: Tollefsbol TO, ed. *Epigenetics Protocols*. Vol 791. 2nd ed. Clifton, NJ: Springer; 2011:101-112. doi:10.1007/978-1-61779-316-5_8.
40. Ohte S, Shin M, Sasanuma H, Yoneyama K, Akita M, Ikebuchi K, Jimi E, Maruki Y, Matsuoka M, Namba A, Tomoda H, Okazaki Y, Ohtake A, Oda H, Owan I, Yoda T, Furuya H, Kamizono J, Kitoh H, Nakashima Y, Susami T, Haga N, Komori T, Katagiri T. A novel mutation of ALK2, L196P, found in the most benign case of fibrodysplasia ossificans progressiva activates BMP-specific intracellular signaling equivalent to a typical mutation, R206H. *Biochem Biophys Res Commun*. 2011;407(1):213-218. doi:10.1016/j.bbrc.2011.03.001.
41. Tsuchihashi T, Mori K, Horie-Inoue K, Gehlbach PL, Kabasawa S, Takita H, Ueyama K, Okazaki Y, Inoue S, Awata T, Katayama S, Yoneya S. Complement factor H and high-temperature requirement A-1 genotypes and treatment response of age-related macular degeneration. *Ophthalmology*. 2011;118(1):93-100. doi:10.1016/j.ophtha.2010.04.007.
42. Hagiwara K, Morino H, Shiihara J, Tanaka T, Miyazawa H, Suzuki T, Kohda M, Okazaki Y, Seyama K, Kawakami H. Homozygosity mapping on homozygosity haplotype analysis to detect recessive disease-causing genes from a small number of unrelated, outbred patients. Ikeda K, ed. *PLoS ONE*. 2011;6(9):e25059. doi:10.1371/journal.pone.0025059.

43. Huqun, Fukuyama S-I, Morino H, Miyazawa H, Tanaka T, Suzuki T, Kohda M, Kawakami H, Okazaki Y, Seyama K, Hagiwara K. A quantitatively-modeled homozygosity mapping algorithm, qHomozygosityMapping, utilizing whole genome single nucleotide polymorphism genotyping data. *BMC Bioinformatics*. 2010;11 Suppl 7:S5. doi:10.1186/1471-2105-11-S7-S5.
44. Tokuzawa Y, Yagi K, Yamashita Y, Nakachi Y, Nikaido I, Bono H, Ninomiya Y, Kanasaki-Yatsuka Y, Akita M, Motegi H, Wakana S, Noda T, Sablitzky F, Arai S, Kurokawa R, Fukuda T, Katagiri T, Schönbach C, Suda T, Mizuno Y, Okazaki Y. Id4, a new candidate gene for senile osteoporosis, acts as a molecular switch promoting osteoblast differentiation. Barsh GS, ed. *PLoS Genet*. 2010;6(7):e1001019. doi:10.1371/journal.pgen.1001019.
45. Ninomiya Y, Sugahara-Yamashita Y, Nakachi Y, Tokuzawa Y, Okazaki Y, Nishiyama M. Development of a rapid culture method to induce adipocyte differentiation of human bone marrow-derived mesenchymal stem cells. *Biochem Biophys Res Commun*. 2010;394(2):303-308. doi:10.1016/j.bbrc.2010.03.001.
46. Fujita K-I, Ando Y, Yamamoto W, Miya T, Endo H, Sunakawa Y, Araki K, Kodama K, Nagashima F, Ichikawa W, Narabayashi M, Akiyama Y, Kawara K, Shiomi M, Ogata H, Iwasa H, Okazaki Y, Hirose T, Sasaki Y. Association of UGT2B7 and ABCB1 genotypes with morphine-induced adverse drug reactions in Japanese patients with cancer. *Cancer Chemother Pharmacol*. 2010;65(2):251-258. doi:10.1007/s00280-009-1029-2.
47. Kaji S, Murayama K, Nagata I, Nagasaka H, Takayanagi M, Ohtake A, Iwasa H, Nishiyama M, Okazaki Y, Harashima H, Eitoku T, Yamamoto M, Matsushita H, Kitamoto K, Sakata S, Katayama T, Sugimoto S, Fujimoto Y, Murakami J, Kanzaki S, Shiraki K. Fluctuating liver functions in siblings with MPV17 mutations and possible improvement associated with dietary

and pharmaceutical treatments targeting respiratory chain complex II. *Mol Genet Metab.* 2009;97(4):292-296. doi:10.1016/j.ymgme.2009.04.014.

48. FANTOM Consortium, Suzuki H, Forrest ARR, van Nimwegen E, Daub CO, Balwierz PJ, Irvine KM, Lassmann T, Ravasi T, Hasegawa Y, de Hoon MJL, Katayama S, Schroder K, Carninci P, Tomaru Y, Kanamori-Katayama M, Kubosaki A, Akalin A, Ando Y, Arner E, Asada M, Asahara H, Bailey T, Bajic VB, Bauer D, Beckhouse AG, Bertin N, Björkegren J, Brombacher F, Bulger E, Chalk AM, Chiba J, Cloonan N, Dawe A, Dostie J, Engström PG, Essack M, Faulkner GJ, Fink JL, Fredman D, Fujimori K, Furuno M, Gojobori T, Gough J, Grimmond SM, Gustafsson M, Hashimoto M, Hashimoto T, Hatakeyama M, Heinzl S, Hide W, Hofmann O, Hörnquist M, Huminiecki L, Ikeo K, Imamoto N, Inoue S, Inoue Y, Ishihara R, Iwayanagi T, Jacobsen A, Kaur M, Kawaji H, Kerr MC, Kimura R, Kimura S, Kimura Y, Kitano H, Koga H, Kojima T, Kondo S, Konno T, Krogh A, Kruger A, Kumar A, Lenhard B, Lennartsson A, Lindow M, Lizio M, Macpherson C, Maeda N, Maher CA, Maqungo M, Mar J, Matigian NA, Matsuda H, Mattick JS, Meier S, Miyamoto S, Miyamoto-Sato E, Nakabayashi K, Nakachi Y, Nakano M, Nygaard S, Okayama T, Okazaki Y, Okuda-Yabukami H, Orlando V, et al. The transcriptional network that controls growth arrest and differentiation in a human myeloid leukemia cell line. *Nat Genet.* 2009;41(5):553-562. doi:10.1038/ng.375.
49. Fukuda T, Kohda M, Kanomata K, Nojima J, Nakamura A, Kamizono J, Noguchi Y, Iwakiri K, Kondo T, Kurose J, Endo K-I, Awakura T, Fukushima J, Nakashima Y, Chiyonobu T, Kawara A, Nishida Y, Wada I, Akita M, Komori T, Nakayama K, Nanba A, Maruki Y, Yoda T, Tomoda H, Yu PB, Shore EM, Kaplan FS, Miyazono K, Matsuoka M, Ikebuchi K, Ohtake A, Oda H, Jimi E, Owan I, Okazaki Y, Katagiri T. Constitutively activated ALK2 and increased SMAD1/5 cooperatively induce bone morphogenetic protein signaling in fibrodysplasia ossificans progressiva. *J Biol Chem.* 2009;284(11):7149-7156. doi:10.1074/jbc.M801681200.

50. Fukuda T, Kanomata K, Nojima J, Kokabu S, Akita M, Ikebuchi K, Jimi E, Komori T, Maruki Y, Matsuoka M, Miyazono K, Nakayama K, Nanba A, Tomoda H, Okazaki Y, Ohtake A, Oda H, Owan I, Yoda T, Haga N, Furuya H, Katagiri T. A unique mutation of ALK2, G356D, found in a patient with fibrodysplasia ossificans progressiva is a moderately activated BMP type I receptor. *Biochem Biophys Res Commun*. 2008;377(3):905-909. doi:10.1016/j.bbrc.2008.10.093.
51. Yamamoto K, Ninomiya Y, Iseki M, Nakachi Y, Kanasaki-Yatsuka Y, Yamanoue Y, Itoh T, Nishii Y, Petrovsky N, Okazaki Y. 4-Hydroxydocosahexaenoic acid, a potent peroxisome proliferator-activated receptor gamma agonist alleviates the symptoms of DSS-induced colitis. *Biochem Biophys Res Commun*. 2008;367(3):566-572. doi:10.1016/j.bbrc.2007.12.188.
52. Otani K, Hiyama K, Satoh K, Shimamoto T, Mohamad D, Andoh M, Tonda T, Kohda M, Okazaki Y, Nishiyama M, Hiyama E, Ohtaki M. A mathematical model for affymetrix genechip probe level data. *JP J Biostat*. 2007;1(3):283-306.
53. Miyazawa H, Kato M, Awata T, Kohda M, Iwasa H, Koyama N, Tanaka T, Huqun, Kyo S, Okazaki Y, Hagiwara K. Homozygosity haplotype allows a genomewide search for the autosomal segments shared among patients. *The American Journal of Human Genetics*. 2007;80(6):1090-1102. doi:10.1086/518176.
54. Mori K, Horie-Inoue K, Kohda M, Kawasaki I, Gehlbach PL, Awata T, Yoneya S, Okazaki Y, Inoue S. Association of the HTRA1 gene variant with age-related macular degeneration in the Japanese population. *J Hum Genet*. 2007;52(7):636-641. doi:10.1007/s10038-007-0162-1.